



Dräger Alcotest 7000 Alcohol Screening Device

The Dräger Alcotest 7000 sets new standards in alcohol test devices. Its benefits include a wider temperature range, an extended measuring range, low maintenance requirements and various networking options. In addition, the device can perform alcohol tests using either a mouthpiece or a funnel. Reliable alcohol testing has never been so fast, simple and efficient.

Dräger Alcotest 7000



Benefits

Only one calibration per year

Typically alcohol testing devices have to be calibrated every six months. Thanks to its exceptional measurement stability, the Dräger Alcotest 7000 only needs calibrating every 12 months. As a result, you only have to collect, send off and then re-issue your alcohol testers once a year. This saves time and, above all, money.

Two measurement methods in one device

Alongside the classic test using a mouthpiece, with the Alcotest 7000 you can also carry out tests using a funnel attachment. This enables you to complete a large number of alcohol tests in a very short span of time: time-saving, cost-effective and hygienic. The funnel-based test gives you an initial indication as to whether or not alcohol is present in the subject's breath. If the answer is yes, you simply press a button to switch over to the mouthpiece-based test mode. The following test then shows you the actual level of alcohol in the subject's breath.

Wide temperature range

With the Alcotest 7000 you can take reliable measurements even in extreme temperatures. The alcohol tester's advanced heating system and high-quality materials ensure dependable results in temperatures ranging from -10 °C to +55 °C.

Network-connected solutions

The built-in Bluetooth® Low Energy technology offers you energy-saving, digital connectivity for the device and its data. This has many advantages: For example, the wireless connection of the alcohol tester to the Dräger BT Mobile Printer enables you to print out test results from a distance of up to 15 meters.

In addition, our software solution "Dräger add" facilitates a range of processes - e.g. the documentation of the measuring data on site.

Dräger's Service Connect software enables you to download measurement data and much more. You can also connect the Alcotest 7000 directly to a computer with a USB-C cable to read out just the test results.

High alcohol-detection limits

The increased performance capacity of the Alcotest 7000 also includes its measurement range. The maximum blood-alcohol limit that can be set with this alcohol testing device is as high as 6%. If this measurement range limit is exceeded, the display will tell you.

Benefits

The Alcotest Hygiene Plus

Hygiene is an increasingly important part of our everyday lives. Dräger Alcotest breath-alcohol detection devices use non-invasive measuring technologies with a high degree of hygiene – for the user as well as the test subject – thanks to the following features:

- During testing, the exhaled air is directed past rather than through the device
- There is a 90° angle between the user and the test subject during testing
- Disposable mouthpieces and funnel attachments are individually packaged
- Benefits of the Slide 'n' Click mouthpieces:
 - safe, hygienic distance between user and test subject
 - spacer prevents direct contact between lips and device
 - mouthpiece is easy to remove
 - the non-return valve prevents inhalation of air through mouthpiece
- Benefits of the replaceable funnel attachment:
 - no body contact with the test subject
 - blocks backflow of the test subject's own exhaled air, which prevents intake of potential pathogens from previous test subjects

Innovation born out of tradition

With more than 65 years of experience, Dräger is a market leader in the field of breath-alcohol testing. Law enforcement in many countries use devices from the Alcotest product series in everyday traffic monitoring. The Alcotest 7000 is manufactured in Germany and meets the highest quality standards.

Accessories

D-25354-2020



Dräger Mobile Printer BT

The Dräger Mobile Printer BT facilitates wireless printing from any compatible Dräger testing device within a 15-metre radius. The small, lightweight printer can be secured to a belt using a retaining clip. It is easy to operate, using only two buttons. Illuminated symbols provide you with information about the status of the device.

D-30594-2017



Hygienic-Flow-Funnel

Package unit: 10 pieces, hygienically and individually packaged with air outlets to minimise back-flow of expired air

ST-178-2004



Mouthpieces (slide'n'click)

Available in packs of 100, 250, and 1,000 mouthpieces with or without non-return valve.

D-16988_2024



Dräger add

Dräger add is a modular system solution for the documentation and evaluation of alcohol and drug tests. Mobile app users can easily record and document test results and other required data with their smartphone and print all collected information directly from the app. Test data can be synchronised with the web application, where data from several users can be analysed across the entire organisation. Customise Dräger add to your specific needs and optimise your processes.

Accessories



D-25038-2020

Protection options

To protect the device, Dräger offers device protection bags and various fabric storage bags and transport cases.

Services

D-23331-2016



Product service

Our product service department is here to support you with a range of service packages – in our shops or on site at your facility. Care, servicing and maintenance are key factors when it comes to safety. Diligent maintenance and care are also absolutely necessary from an economic perspective. Preventive checks, service procedures and original replacement parts ensure your investment lasts longer.

D-23355-2016



Training

The Dräger Academy has been sharing its sound, practical knowledge for over 40 years. With more than 110 authorised trainers and over 600 topics, we run more than 2,400 training sessions a year. We provide your staff with practical knowledge and ensure that what they learn can be applied effectively, both on a day-to-day basis and more importantly, in critical situations. We're also happy to develop a custom-made training programme just for you.

D-23330-2016



Rental Service

From bridging a temporary equipment shortage to procuring specialised equipment for a job with extraordinary requirements. If you only need to temporarily cover additional equipment requirements, Dräger Rental Service offers an economical procurement alternative with over 65,000 rental devices. It's quick, simple and comes with a wide range of additional services upon request.

D-23229-2016



Shutdown Safety Service

In need of a comprehensive safety solution? Is there a long list of legal requirements you have to meet, and are you pressed for time? Balancing maximum efficiency with optimal security can pose major challenges. We help you create this balance. Our Shutdown Safety Service takes account of all the requirements for a shutdown, particularly your specific needs.

Services



On-site safety services

Whether through a rental shop, personnel services or comprehensive safety management, our on-site safety services support projects with increased safety risks, as well as everyday operations.

Related Products

D-31888-2020



Dräger Alcotest 5000

The Dräger Alcotest 5000 is a professional breath-alcohol tester which detects the presence of alcohol. The high-speed breathalyser lets you perform numerous tests in no time. All tests are conducted without coming into physical contact with the test subject. The special funnel attachment reduces the back-flow of exhaled air to a minimum, which prevents the risk of possible infections to the next test subjects, making it an extremely hygienic solution.

D-32068-2020



Dräger Alcotest 6000

The Dräger Alcotest 6000 allows the professional user to perform a breath alcohol test with speed and precision. The measuring technology of this small and user-friendly portable measuring device has already been proven worldwide and has been sold over 1,000,000 times.

D-16484-2024



Dräger DrugCheck 3000

Use the DrugCheck 3000 to find out within minutes whether a person has recently consumed certain drugs. The compact and quick saliva (oral fluid)-based drug test delivers reliable results affordably and easily. The non-invasive drug test kit does not require electricity and can therefore be used anywhere.

D-54720-2012



DrugTest 5000

No pipetting, no drips, no timing: With the DrugTest 5000, a drug test is carried out simply and quickly. The collected saliva sample can be analysed immediately – for an accurate result on the spot.

Technical Data

Dräger Alcotest 7000

Detection basis	Electrochemical DrägerSensor, 1/4" technology, alcohol-specific
Measurement range	Breath alcohol concentration: 0 to 3.0 mg/L; (Ethanol mass per minimum volume at 34 °C and 1,013 hPa) Blood alcohol concentration: 0.00 to 6.00 % (Ethanol mass per blood volume or mass at 20 °C and 1013 hPa) Visual signal when measuring limits are exceeded
Sample collection	Default: Automatic sample collection when minimum volume or predefined blowing time is reached; Passive sampling or manual triggering of sampling possible
Start-up time	Approx. 2 seconds after switching on (depending on configuration)
Display of test results	After approx. 3 seconds (at 0.0 mg/L) After approx. 10 seconds (at 0.5 mg/L, at room temperature)
Ambient operating conditions	-10 °C to +55 °C; 10 to 100% relative humidity (non condensing); 600 to 1,300 hPa
Ambient conditions during storage	-20 °C to +60 °C; 15 to 75% relative humidity (10 to 100% relative humidity <48 h); 600 to 1,300 hPa
Display	QVGA TFT colour display 320 x 240 2.4"
LEDs	tricolour LEDs to help display results and warning messages
Acoustic signals	Various signal tones to support display and warning messages
Memory	Storage of the last 10,000 tests (larger memory possible through software adaptation on request)
Energy supply	Lithium-ion battery (rechargeable via USB-C connection) or alkaline-version (3 x 1.5 V alkaline type, Mignon, LR06, AA), Charge status shown in display; one charge is sufficient to perform or up to 5,000 breath tests (lithium version) up to 1,500 breath tests (alkaline-version).
Mouthpiece receptacle	The Slide 'n' Click mouthpiece or Alcotest funnel mounts on either side
Mouthpiece	Hygienic, individually packaged with tamper-proof, unclosable air outlet Mouthpiece ejector and spacer between mouth and device housing
Funnel	Hygienic, individually packaged with air outlets for minimising back-flow of expired air
Operating design	Measuring functions can be performed with one key; Navigation in menu with two menu keys
Calibration	Wet gas or dry gas calibration; Recommended calibration interval of 12 months
Casing	Impact-resistant ASA/PC
Dimensions (W x H x D), Weight	61 mm x 172 mm x 36 mm; A7000 LI: 275 g A7000 AA: 285 g
Vibration and impact resistance	EN 60068-2-27, EN 60068-2-6; EN 60068-2-64
CE mark	Electromagnetic compatibility
Standards	EN 15964, NHTSA, Australian Standard, FDA-conformity, depending on configuration
Internal clock	Warning or switch-off after expiry of calibration period (depending on configuration)
IP protection class	IP 54

Technical Data

Interface	USB-C
Bluetooth®	Bluetooth® Low Energy 5.0 (Bluetooth is a registered trademark of Bluetooth SIG, Inc.)®
GPS	Options

Ordering Information

Dräger Alcotest 7000 – Modular system	3700398
Dräger Alcotest 7000 – Standard configuration Measuring device Lithium version with Bluetooth and with fixed built-in battery, 3 mouthpieces, wrist strap, USB-C cable, calibration certificate, no GPS, no NFC.	3700400
Dräger Mobile Printer BT	3700421
Mouthpieces – package of 100	6810690
Mouthpieces – package of 250	6810825
Mouthpieces – package of 1,000	6810830
Mouthpiece with non-return valve – package of 100	6811055
Mouthpiece with non-return valve – package of 250	6811060
Mouthpiece with non-return valve – package of 1,000	6811065
Hygienic-Flow-Funnel, package of 10; individually, hygienically packed	8327718
Alkaline batteries (Mignon, LR6, AA, 1.5 V) – 3 batteries required	1335804
NiMH battery (AA, 1.2 V rechargeable) – 3 batteries required. Charge outside unit.	1890092
Lithium battery (AA, 1.5 V) – 3 batteries required	3700415

Not all products, features, or services are for sale in all countries. Trademarks mentioned herein are the property of its respective owner. Trademarks may be owned by Drägerwerk AG & Co. KGaA (Dräger) or its affiliates in certain countries and not necessarily in the country in which this material is released. Visit www.draeger.com/trademarks for the current status of Dräger's trademarks.

Corporate Headquarters

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
■ www.draeger.com

Region Europe

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
☎ +49 451 882 0
☎ +49 451 882 2080
✉ info@draeger.com

Region Asia Pacific

Draeger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
☎ +65 6872 9288
☎ +65 6259 0398

Region Middle East, Africa

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
☎ +971 4 4294 600
☎ +971 4 4294 699
✉ contactuae@draeger.com

Region Central and South America

Dräger Safety do Brasil Ltda.
Al. Pucuruí, 51/61 – Tamboré
06460-100 Barueri, São Paulo
☎ +55 (11) 4689-4900
✉ relacionamento@draeger.com



Locate your Regional Sales
Representative at:
www.draeger.com/contact