

Dräger-Tube pump accuro Dräger Tube Pump

Fast measurement with one hand: The Dräger-Tube pump accuro allows you to use the established Dräger-Tubes to take measurements under extreme conditions. The easy-to-use Dräger-Tubes have already been calibrated and form a perfect unit with the Dräger-Tube pump.



Benefits

Mobile spot measurement

This manual pump is used for spot measurements such as the detection of concentration peaks, confined space entry, worst-case scenarios etc.

Functional bellows pump

The Dräger-Tube pump accuro draws in 100 ml per stroke. When measuring, the pump body (bellows) is pressed together completely. The exhaust valve is closed during the opening phase of the bellows so that the gas sample flows through the connected Dräger-Tube into the pump. After the complete opening of the pump body into its original position the suction process is finished. The end of stroke is visible by a pressure-controlled end of stroke indication, located in the pump head.

Sampling

During the sampling process the substances to be evaluated are firstly accumulated on a suitable carrier material, e.g. activated charcoal, silica gel and so on. The air to be evaluated is thereby drawn over the respective material - with a predefined flow rate and duration. Afterwards, the substances that have accumulated on the carrier material through adsorption or chemisorption are examined qualitatively and quantitatively in the laboratory using instrumental analysis such as gas chromatography.

One-handed operation

Frequently, measurements need to take place under extreme conditions, e.g. on ladders, in shafts or when wearing heavy breathing protection. The Dräger-Tube pump accuro can easily be operated with one hand and enables a reliable measurement also in difficult-to-access places.

System components



Dräger Short-term Tubes

Tried and tested a million times: Worldwide, the Dräger Short-term Tubes have proven to be a very cost-effective and reliable method for the measurement of gases. Decreasing occupational exposure values, special customer requirements and new legal regulations made it necessary to develop even more sensitive Dräger-Tubes.



Dräger Sampling Tubes and Systems

The Dräger Sampling Tubes and Systems are very reliable in use even with complex compounds and mixtures of substances.

Accessories



Dräger TO 7000

By using the tube opener Dräger TO 7000, conventional Short-term Tubes as well as Ampoule and Double Tubes can be opened with only simple movements and no jagged edges are left behind.

Accessories



Extension hose 1 m, 3 m, 10 m, 15 m, 30 m

For use in hard-to-access locations such as shafts.



Hot air probe

Enables the measurement of extremely hot gases, e.g. in combustion plants.



Vehicle exhaust probe

For measuring exhaust gases.



Bar probe 400

Is used for clearance measurements in containers.

Related Products



Dräger X-act® 5000

The automatic tube pump Dräger X-act® 5000 is the first all-in-one solution designed for measurements with Dräger short-term tubes and for sampling tubes and systems. Ease of operation and a high degree of reliability compliment the measurement and sampling of gases, vapors and aerosols.



Dräger CMS

The world's only Chip Measurement System (CMS) makes spot measurements as easy as 1, 2, 3: insert chip – start measurement – read measurement result on the LCD display. The Dräger CMS combines the advantages of the Dräger-Tubes with those of an optoelectronic analysis system.

Technical Data

| Dimensions (W x H x D) | 170 x 45 x 85 mm | | |
|------------------------|---|--|--|
| Stroke volume | 100 ±5 cm ³ | | |
| Weight | 250 g | | |
| Ambient conditions | Temperature: -20 °C to +50 °C | | |
| | Relative humidity: 0 - 95% non-condensing | | |
| Approvals | CE-certified (EN 0158) | | |
| | ATEX | I M1/ II 1G IIC T6 -20°C ≤ Ta ≤ +50° C/ II | |
| | | 1D | |
| | | BVS 04 ATEX H 068 | |
| | DIN | EN 1231 | |
| | | | |

Ordering Information

| | Packaging unit | Order No. |
|--|---|-----------|
| Dräger accuro pump | 1 | 64 00 000 |
| Gas detection set | 1 including Dräger accuro pump, carrying case, tube opener Dräger TO 7000 carrying case, tube opener Dräger TO 7000 and spare parts kit for Dräger accuro | 64 00 260 |
| Spare parts kit for Dräger accuro | 1 | 64 00 220 |
| Extension hose 3 m | 1 including tube adapter and hose adapter | 64 00 077 |
| Tube opener Dräger TO 7000 | 1 | 64 01 200 |
| Adapter for Dräger simultaneous test set | 1 including cutting mount | 64 00 090 |
| Additional accessories upon request. | | |

Notes

Notes

Dräger Marine & Offshore Beurtschipperstraat 1 3194 DK Hoogvliet +31 (0)10 295 2740 sales-mo.sd.nl@draeger.com www.draeger-mo.com



CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany Tel +49 451 882 0 Fax +49 451 882 2080 info@draeger.com

REGION EUROPE SOUTH

Dräger Safety France SAS 25, rue Georges Besse 92182 Antony Cedex Tel +33 1 46 11 56 00 Fax +33 1 40 96 97 20 europe.south@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA Branch Office P.O. Box 505108 Dubai, United Arab Emirates Tel +971 4 4294 600 Fax +971 4 4294 699 contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd 25 International Business Park #04-20/21 German Centre Singapore 609916 Tel +65 6308 9400 Fax +65 6308 9401 asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L. Complejo Business Park, V tower, 10th floor Panama City Tel +507 377 9100 Fax +507 377 9130 contactcsa@draeger.com

Locate your Regional Sales Representative at: www.draeger.com/contact

